INDEX

IEE Proceedings Part H
Microwaves, Optics and Antennas
Vol. 128, 1981

Abbreviations
p Paper, address or lecture
d Discussion on a paper
a Abstract of paper or address
e Errata
s Synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Al-Mukhtar, D.A., and Sitch, J.E. Transmission-line matrix method with irregularly graded space p299
Auchterlonie, L.J., and Bryant, D.L. Experimental study of millimetre-wave scattering from simulated hailstones in an open resonator p236

B

Barbosa, A., dos Santos, A.F., and Figanier, J. Leaky waves supported by a wire grid above a reactive surface p243
Bird, T.S., and Boomars, J.L. Evaluation of focal fields and radiation characteristics of a dual-offset reflector antenna e68
Bogaers, J., Pues, H., Pieck, R., and Van de Capelle, A. see Pues, H.
Boomars, J.L., and Bird, T.S. see Bird, T.S.
Brickell, F., Westcott, B.S., and Stevens, F.A. see Westcott, B.S.
Bryant, D.L., and Auchterlonie, L.J. see Auchterlonie, L.J.
Buÿs, J.H., and Janssen, L.H. Comparison of simultaneous atmospheric attenuation measurements at visible light, mid-infrared (3-5μm) and millimetre waves (94 GHz) p131

C

Cahill, R., and Parker, E.A. see Parker, E.A.
Chan, K.K., and Raab, A.R. Surface-current analysis of distorted reflector antennas p206
Clarricoats, P.J.B., and Elliot, R.D. Multimode corrugated waveguide feed for monopulse radar p102
Conduit, A.J., Hartog, A.H., and Payne, D.N. see Hartog, A.H.
Cornbleet, S. Parallel-ray focusing with flat lens doublets p285
Cornbleet, S., and Rinous, P.J. Generalised formulas for equivalent geodesic and nonuniform refractive lenses p95
Crampton, P.W., and Ramsdale, P.A. see Ramsdale, P.A.

D

Davies, P.G., and Mackenzie, E.C. Review of SHF and EHF slant path propagation measurements made near Slough (UK) p53
de Los Reyes, Soares, R.A., and Guena, J. see Soares, R.A.
dos Santos, A.F., Barbosa, A., and Figanier, J. see Barbosa, A.

E

Elliot, R.D., and Clarricoats, P.J.B. see Clarricoats, P.J.B.
Eränen, S., Sinkkonen, J., and Stubb, T. Degenerate eigenfrequency splitting by gyrotropic sample in spherical microwave resonator p279
Eränen, S., Sinkkonen, J., and Stubb, T. Determination of microwave properties of semiconductors using spherical cavities p274

F

Fernandes, C., Salema, C., and Figanier, J. see Salema, C.
Figanier, J., Barbosa, A., and dos Santos, A.F. see Barbosa, A.
Figanier, J., Salema, C., and Fernandes, C. see Salema, C.

G

Garault, Y., Guillon, P., and Mekerta, S. see Guillon, P.
Gorman, M.R., Theodorou, E.A., Rigg, P.R., and Kong, F.N. see Theodorou, E.A.
Guena, J., Soares, R.A., and de Los Reyes see Soares, R.A.
Guillon, P., Mekerta, S., and Garault, Y. Microstrip bandstop filter using a dielectric resonator p151
Guldbrandsen, B., and Guldbrandsen, T. Novel rotary vane attenuator and variable directional coupler including methods for their precision calibration p46
Guldbrandsen, B., and Guldbrandsen, T. see Guldbrandsen, T.
Guldbrandsen, T., and Guldbrandsen, B. Novel 4-port microwave rotary phase shifter and method for its precision calibration p42
Guldbrandsen, T., and Guldbrandsen, B. see Guldbrandsen, B.
Gutiérrez, R.H., Laura, P.A.A., and Sánchez Sarmiento, G. see Laura, P.A.A.

H

Hall, P.S., and James, J.R. Design of microstrip antenna feeds. Part 2: Design and performance limitations of triplate corporate feeds p26
Hamid, M., and Ittipiboon, A. see Ittipiboon, A.
Harris, D.J., and Lee, K.W. Theoretical and experimental characteristics of double-groove guide for 100 GHz operation p6
Harris, I.A., and Warner, F.L. Re-examination of mismatch uncertainty when measuring microwave power and attenuation p35
Hartog, A.H., Payne, D.N., and Conduit, A.J. Polarisation measurements on monomode fibres using optical time-domain reflectometry p168
Hassan, E.E.M., and Shafai, L. see Shafai, L.
Helszajn, J. High-power waveguide circulators using quarter-wave long composite ferrite/dielectric resonators p268
Henderson, A., and James, J.R. Design of microstrip antenna feeds. Part 1: Estimation of radiation loss and design implications p19
Hussey, C.D., Sammut, R.A., Love, J.D., and Snyder, A.W. see Sammut, R.A.

I

Ilyas, M., and Kalhor, H.A. see Kalhor, H.A.
Ittipiboon, A., and Hamid, M. Application of the Wiener-Hopf technique to dielectric slab waveguide discontinuities p188
Iwabuchi, K., Kojima, N., Negishi, Y., Yabuta, T., Kawata, O., and Yamashita, K. see Kojima, N.

J

James, J.R., and Hall, P.S. see Hall, P.S.
James, J.R., and Henderson, A. see Henderson, A.
Jansen, R.H. Hybrid mode analysis of end effects of planar microwave and millimetrewave transmission lines p77
Janssen, L.H., and Buÿs, J.H. see Buÿs, J.H.
Jones, D.S. Note on the integral equation for a straight wire antenna p114

K

Kalhor, H.A., and Ilyas, M. Scattering of plane electromagnetic waves by a grating of conducting cylinders embedded in a dielectric slab in free space p155
Kawata, O., Kojima, N., Negishi, Y., Iwabuchi, K., Yabuta, T., and Yamashita, K. see Kojima, N.
Khan, P.J., and Steer, M.B. see Steer, M.B.
Kildal, P.-S. Discrete phase-steering by permuting precut phase cables p218
Knöchel, R. Unified large-signal stability and noise theory for synchronised oscillators p137
Kojima, N., Negishi, Y., Iwabuchi, K., Yabuta, T., Kawata, O., and Yamashita, K. Design and characteristics of submarine optical cable p290
Kong, F.N., Theodorou, E.A., Gorman, M.R., and Rigg, P.R. see Theodorou, E.A.
Kooi, P.S., Leong M.S., and Yeo, T.S. see Leong, M.S.

L

Langsford, P.A., and Parker, E.A. Cross polarisation of electromagnetic waves transmitted through waveguide dichroic plates p1
Laura, P.A.A., Sánchez Sarmiento, G., and Gutiérrez, R.H. Approximate solution of the Helmholtz equation in a type of doubly connected region using polynomial approximations p171
Lee, K.W., and Harris, D.J. see Harris, D.J.
Leong, M.S., Kooi, P.S., and Yeo, K.P. Capacitance of a circular disc for applications in microwave integrated circuits p320
Leong, M.S., Kooi, P.S., and Yeo, K.P. Determination of circular microstrip disc by Noble's variational method p306

Leong, M.S., Kooi, P.S., and Yeo, T.S. Tunable double-ended dielectric-loaded microwave resonator for frequency-stabilisation applications p213
Love, J.D., Sammut, R.A., Hussey, C.D., and Snyder, A.W. see Sammut, R.A.
Lyon, R.W., and Sangster, A.J. Efficient moment method analysis of radiating slots in a thick-walled rectangular waveguide p197

M

Mackenzie, E.C., and Davies, P.G. see Davies, P.G.
Mekerta, S., Guillon, P., and Garault, Y. see Guillon, P.

N

Negishi, Y., Kojima, N., Iwabuchi, K., Yabuta, T., Kawata, O., and Yamashita, K. see Kojima, N.
Nellen, J., Scharten, T., and van den Bogaart, F. see Scharten, T.

O

Ohm, G., Rosowsky, D., and Zeh, H. Low-loss delay filter for differential PSK demodulators p323

P

Parker, E.A., and Cahill, R. Influence of dichroic plate thickness on polarisation of transmitted electromagnetic waves p317
Parker, E.A., and Langsford, P.A. see Langsford, P.A.
Payne, D.N., Hartog, A.H., and Conduit, A.J. see Hartog, A.H.
Pieck, R., Pues, H., Bogaers, J., and Van de Capelle, A. see Pues, H.
Pues, H., Bogaers, J., Pieck, R., and Van de Capelle, A. Wideband quasi-log-periodic microstrip antenna p159

R

Raab, A.R., and Chan, K.K. see Chan, K.K.
Ramsdale, P.A., and Crampton, P.W. Properties of 2-arm conical equiangular spiral antenna over extended bandwidth p311
Rigg, P.R., Theodorou, E.A., Gorman, M.R., and Kong, F.N. see Theodorou, E.A.
Rinous, P.J., and Cornbleet, S. see Cornbleet, S.
Rosowsky, D., Ohm, G., and Zeh, H. see Ohm, G.

S

Salema, C., Figanier, J., and Fernandes, C. Estimation of ground scattering in microwave links p252
Sammut, R.A., Hussey, C.D., Love, J.D., and Snyder, A.W. Modal analysis of polarisation effects in weakly-guiding fibres p173
Sánchez Sarmiento, G., Laura, P.A.A., and Gutiérrez, R.H. see Laura, P.A.A.
Sangster, A.J., and Lyon, R.W. see Lyon, R.W.
Scharten, T., Nellen, J., and van den Bogaart, F. Longitudinally slotted conical horn antenna with small flare angle p117
Shafai, L., and Hassan, E.E.M. Field distribution and radiation field of finite axial slots on circular waveguides p263
Shafai, L., and Hassan, E.E.M. Field solution and electrical characteristics of slotted waveguides p87
Sinkkonen, J., Eränen, S., and Stubb, T. see Eränen, S.
Sitch, J.E., and Al-Mukhtar, D.A. see Al-Mukhtar, D.A.
Smith, D.C., and Tebbenham, R.L. Fast risetime InP oscillators employing cavity stabilisation and pulsed priming techniques p229
Snyder, A.W., Sammut, R.A., Hussey, C.D., and Love, J.D. see Sammut, R.A.
Soares, R.A., de Los Reyes, and Guena, J. Design of K-band slug tuners p146
Steer, M.B., and Khan, P.J. Wideband equivalent circuits for radial transmission lines p111
Stevens, F.A., Westcott, B.S., and Brickell, F. see Westcott, B.S.
Stubb, T., Eränen, S., and Sinkkonen, J. see Eränen, S.

T

Tebbenham, R.L., and Smith, D.C. see Smith, D.C.
Theodorou, E.A., Gorman, M.R., Rigg, P.R., and Kong, F.N. Broadband pulse-optimised antenna p124

U

Uzunoglu, N.K. Propagation in cylindrical dielectric waveguides with gyro-electric cores p164

V

Van Bladel, J. Contribution of the ψ = constant mode to the modal expansion in a waveguide p247
Van de Capelle, A., Pues, H., Bogaers, J., and Pieck, R. see Pues, H.
van den Bogaart, F., Scharten, T., and Nellen, J. see Scharten, T.

W

Warner, F.L., and Harris, I.A. see Harris, I.A.
Westcott, B.S., Stevens, F.A., and Brickell, F. GO synthesis of offset dual reflectors p11
Wood, C. Analysis of microstrip circular patch antennas p69
Wood, M.A. Homodyne network analyser p257

Y

Yabuta, T., Kojima, N., Negishi, Y., Iwabuchi, K., Kawata, O., and Yamashita, K. see Kojima, N.
Yamashita, K., Kojima, N., Negishi, Y., Iwabuchi, K., Yabuta, T., and Kawata, O. see Kojima, N.
Yeo, K.P., Leong, M.S., and Kooi, P.S. see Leong, M.S.

Z

Zeh, H., Ohm, G., and Rosowsky, D. see Ohm, G.

Subject index

ANTENNAS AND PROPAGATION

Analysis of microstrip circular patch antennas. C.Wood p69
Broadband pulse-optimised antenna. E.A.Theodorou, M.R.Gorman, P.R.Rigg and F.N.Kong p124
Cross polarisation of electromagnetic waves transmitted through waveguide dichroic plates. P.A.Langsford and E.A.Parker p1
Design of microstrip antenna feeds. Part 1: Estimation of radiation loss and design implications. A.Henderson and J.R.James p19
Design of microstrip antenna feeds. Part 2: Design and performance limitations of triplate corporate feeds. P.S.Hall and J.R.James p26
Discrete phase-steering by permuting precut phase cables. P.S.Kildal p218
Estimation of ground scattering in microwave links. C.Salema, J.Figanier and C.Fernandes p252
Evaluation of focal fields and radiation characteristics of a dual-offset reflector antenna. T.S.Bird and J.L.Boomars e68
Field distribution and radiation field of finite axial slots on circular waveguides. L.Shafai and E.E.M.Hassan p263
GO synthesis of offset dual reflectors. B.S.Westcott, F.A.Stevens and F.Brickell p11
Influence of dichroic plate thickness on polarisation of transmitted electromagnetic waves. E.A.Parker and R.Cahill p317
Leaky waves supported by a wire grid above a reactive surface. A.Barbosa, A.F.dos Santos and J.Figanier p243
Longitudinally slotted conical horn antenna with small flare angle. T.Scharten, J.Nellen and F.van den Bogaart p117
Note on the integral equation for a straight wire antenna. D.S.Jones p114
Properties of 2-arm conical equiangular spiral antenna over extended bandwidth. P.A.Ramsdale and P.W.Crampton p311
Surface-current analysis of distorted reflector antennas. K.K.Chan and A.R.Raab p206
Wideband quasi-log-periodic microstrip antenna. H.Pues, J.Bogaers, R.Pieck and A.Van de Capelle p159

CAPACITANCE AND CAPACITORS

Capacitance of a circular disc for applications in microwave integrated circuits. M.S.Leong, P.S.Kooi and K.P.Yeo p320
Determination of circular microstrip disc by Noble's variational method. M.S.Leong, P.S.Kooi and K.P.Yeo p306

COAXIAL CABLES

Design and characteristics of submarine optical cable. N.Kojima, Y.Negishi, K.Iwabuchi, T.Yabuta, O.Kawata and K.Yamashita p290

COMPUTER APPLICATIONS

Surface-current analysis of distorted reflector antennas. K.K.Chan and A.R.Raab p206

DIELECTRICS

Application of the Wiener-Hopf technique to dielectric slab waveguide discontinuities. A.Ittipiboon and M.Hamid p188
High-power waveguide circulators using quarter-wave long composite ferrite/dielectric resonators. J.Helszajn p268
Microstrip bandstop filter using a dielectric resonator. P.Guillon, S.Mekerta and Y.Garault p151
Tunable double-ended dielectric-loaded microwave resonator for frequency-stabilisation applications. M.S.Leong, P.S.Kooi and T.S.Yeo p213

ELECTROMAGNETICS

Efficient moment method analysis of radiating slots in a thick-walled rectangular waveguide. R.W.Lyon and A.J.Sangster p197
Leaky waves supported by a wire grid above a reactive surface. A.Barbosa, A.F.dos Santos and J.Figanier p243
Note on the integral equation for a straight wire antenna. D.S.Jones p114

FILTERS, FILTERING AND PREDICTION THEORY

Low-loss delay filter for differential PSK demodulators. G.Ohm, D.Rosowsky and H.Zeh p323
Microstrip bandstop filter using a dielectric resonator. P.Guillon, S.Mekerta and Y.Garault p151

FREQUENCY-DOMAIN ANALYSIS

Analysis of microstrip circular patch antennas. C.Wood p69

INSTRUMENTATION AND MEASURING SCIENCE

Comparison of simultaneous atmospheric attenuation measurements at visible light, mid-infra-red (3-5μm) and millimetre waves (94 GHz). J.H.Buÿs and L.H.Janssen p131
Homodyne network analyser. M.A.Wood p257
Novel 4-port microwave rotary phase shifter and method for its precision calibration. T.Guldbrandsen and B.Guldbrandsen p42
Novel rotary vane attenuator and variable directional coupler including methods for their precision calibration. B.Guldbrandsen and T.Guldbrandsen p46
Re-examination of mismatch uncertainty when measuring microwave power and attenuation. I.A.Harris and F.L.Warner p35
Review of SHF and EHF slant path propagation measurements made near Slough (UK). P.G.Davies and E.C.Mackenzie p53

LASERS

Parallel-ray focusing with flat lens doublets. S.Cornbleet p285

MAGNETIC FIELDS

Contribution of the ψ = constant mode to the modal expansion in a waveguide. J.Van Bladel p247
Leaky waves supported by a wire grid above a reactive surface. A.Barbosa, A.F.dos Santos and J.Figanier p243

MATHEMATICAL TECHNIQUES

Determination of circular microstrip disc by Noble's variational method. M.S.Leong, P.S.Kooi and K.P.Yeo p306
Note on the integral equation for a straight wire antenna. D.S.Jones p114

MICROWAVE CIRCUITS AND NETWORKS

Capacitance of a circular disc for applications in microwave integrated circuits. M.S.Leong, P.S.Kooi and K.P.Yeo p320
Design of K-band slug tuners. R.A.Soares, de Los Reyes and J.Guena p146
Determination of circular microstrip disc by Noble's variational method. M.S.Leong, P.S.Kooi and K.P.Yeo p306

MICROWAVE COMPONENTS

Design of K-band slug tuners. R.A.Soares, de Los Reyes and J.Guena p146
Fast risetime InP oscillators employing cavity stabilisation and pulsed priming techniques. D.C.Smith and R.L.Tebbenham p229
Low-loss delay filter for differential PSK demodulators. G.Ohm, D.Rosowsky and H.Zeh p323
Microstrip bandstop filter using a dielectric resonator. P.Guillon, S.Mekerta and Y.Garault p151

MICROWAVE MEASUREMENTS

Degenerate eigenfrequency splitting by gyrotropic sample in spherical microwave resonator. S.Eränen, J.Sinkkonen and T.Stubb p279
Determination of microwave properties of semiconductors using spherical cavities. S.Eränen, J.Sinkkonen and T.Stubb p274
Experimental study of millimetre-wave scattering from simulated hailstones in an open resonator. L.J.Auchterlonie and D.L.Bryant p236
Field distribution and radiation field of finite axial slots on circular waveguides. L.Shafai and E.E.M.Hassan p263
High-power waveguide circulators using quarter-wave long composite ferrite/dielectric resonators. J.Helszajn p268
Re-examination of mismatch uncertainty when measuring microwave power and attenuation. I.A.Harris and F.L.Warner p35

MICROWAVE SYSTEMS

Determination of circular microstrip disc by Noble's variational method. M.S.Leong, P.S.Kooi and K.P.Yeo p306
Estimation of ground scattering in microwave links. C.Salema, J.Figanier and C.Fernandes p252
Novel 4-port microwave rotary phase shifter and method for its precision calibration. T.Guldbrandsen and B.Guldbrandsen p42

Novel rotary vane attenuator and variable directional coupler including methods for their precision calibration. B.Guldbrandsen and T.Guldbrandsen p46
Transmission-line matrix method with irregularly graded space. D.A.Al-Mukhtar and J.E.Sitch p299

MODE DISPERSION

Contribution of the ψ = constant mode to the modal expansion in a waveguide. J.Van Bladel p247

NETWORKS

Homodyne network analyser. M.A.Wood p257
Unified large-signal stability and noise theory for synchronised oscillators. R.Knöchel p137

NUMERICAL ANALYSIS

Approximate solution of the Helmholtz equation in a type of doubly connected region using polynomial approximations. P.A.A.Laura, G.Sánchez Sarmiento and R.H.Gutiérrez p171
Capacitance of a circular disc for applications in microwave integrated circuits. M.S.Leong, P.S.Kooi and K.P.Yeo p320
Determination of circular microstrip disc by Noble's variational method. M.S.Leong, P.S.Kooi and K.P.Yeo p306
Transmission-line matrix method with irregularly graded space. D.A.Al-Mukhtar and J.E.Sitch p299

OPTICAL FIBRES

Design and characteristics of submarine optical cable. N.Kojima, Y.Negishi, K.Iwabuchi, T.Yabuta, O.Kawata and K.Yamashita p290
Modal analysis of polarisation effects in weakly-guiding fibres. R.A.Sammut, C.D.Hussey, J.D.Love and A.W.Snyder p173
Parallel-ray focusing with flat lens doublets. S.Cornbleet p285
Polarisation measurements on monomode fibres using optical time-domain reflectometry. A.H.Hartog, D.N.Payne and A.J.Conduit p168

OPTICS

Generalised formulas for equivalent geodesic and nonuniform refractive lenses. S.Cornbleet and P.J.Rinous p95
Parallel-ray focusing with flat lens doublets. S.Cornbleet p285

PHASING AND PHASE CONTROL

Novel 4-port microwave rotary phase shifter and method for its precision calibration. T.Guldbrandsen and B.Guldbrandsen p42

RADAR AND RADIONAVIGATION

Broadband pulse-optimised antenna. E.A.Theodorou, M.R.Gorman, P.R.Rigg and F.N.Kong p124
Multimode corrugated waveguide feed for monopulse radar. P.J.B.Clarricoats and R.D.Elliot p102

RADIATION

Evaluation of focal fields and radiation characteristics of a dual-offset reflector antenna. T.S.Bird and J.L.Boomars e68
Properties of 2-arm conical equiangular spiral antenna over extended bandwidth. P.A.Ramsdale and P.W.Crampton p311

SATELLITE LINKS AND SPACE COMMUNICATION

Review of SHF and EHF slant path propagation measurements made near Slough (UK). P.G.Davies and E.C.Mackenzie p53

SEMICONDUCTOR DEVICES AND MATERIALS

Determination of microwave properties of semiconductors using spherical cavities. S.Eränen, J.Sinkkonen and T.Stubb p274
Fast risetime InP oscillators employing cavity stabilisation and pulsed priming techniques. D.C.Smith and R.L.Tebbenham p229
Tunable double-ended dielectric-loaded microwave resonator for frequency-stabilisation applications. M.S.Leong, P.S.Kooi and T.S.Yeo p213
Unified large-signal stability and noise theory for synchronised oscillators. R.Knöchel p137

SIGNAL PROCESSING

Parallel-ray focusing with flat lens doublets. S.Cornbleet p285

SIMULATION

Experimental study of millimetre-wave scattering from simulated hailstones in an open resonator. L.J.Auchterlonie and D.L.Bryant p236

SONICS AND ULTRASONICS

Parallel-ray focusing with flat lens doublets. S.Cornbleet p285

TRANSMISSION-LINE THEORY

Hybrid mode analysis of end effects of planar microwave and millimetrewave transmission lines. R.H.Jansen p77
Transmission-line matrix method with irregularly graded space. D.A.Al-Mukhtar and J.E.Sitch p299
Wideband equivalent circuits for radial transmission lines. M.B.Steer and P.J.Khan p111

WAVE PROPAGATION

Modal analysis of polarisation effects in weakly-guiding fibres. R.A.Sammut, C.D.Hussey, J.D.Love and A.W.Snyder p173
Transmission-line matrix method with irregularly graded space. D.A.Al-Mukhtar and J.E.Sitch p299

WAVEGUIDES

Application of the Wiener-Hopf technique to dielectric slab waveguide discontinuities. A.Ittipiboon and M.Hamid p188
Approximate solution of the Helmholtz equation in a type of doubly connected region using polynomial approximations. P.A.A.Laura, G.Sánchez Sarmiento and R.H.Gutiérrez p171
Contribution of the ψ = constant mode to the modal expansion in a waveguide. J.Van Bladel p247
Cross polarisation of electromagnetic waves transmitted through waveguide dichroic plates. P.A.Langsford and E.A.Parker p1
Degenerate eigenfrequency splitting by gyrotropic sample in spherical microwave resonator. S.Eränen, J.Sinkkonen and T.Stubb p279
Determination of microwave properties of semiconductors using spherical cavities. S.Eränen, J.Sinkkonen and T.Stubb p274
Efficient moment method analysis of radiating slots in a thick-walled rectangular waveguide. R.W.Lyon and A.J.Sangster p197
Field distribution and radiation field of finite axial slots on circular waveguides. L.Shafai and E.E.M.Hassan p263
Field solution and electrical characteristics of slotted waveguides. L.Shafai and E.E.M.Hassan p87
High-power waveguide circulators using quarter-wave long composite ferrite/dielectric resonators. J.Helszajn p268
Hybrid mode analysis of end effects of planar microwave and millimetrewave transmission lines. R.H.Jansen p77
Influence of dichroic plate thickness on polarisation of transmitted electromagnetic waves. E.A.Parker and R.Cahill p317
Longitudinally slotted conical horn antenna with small flare angle. T.Scharten, J.Nellen and F.van den Bogaart p117
Low-loss delay filter for differential PSK demodulators. G.Ohm, D.Rosowsky and H.Zeh p323
Modal analysis of polarisation effects in weakly-guiding fibres. R.A.Sammut, C.D.Hussey, J.D.Love and A.W.Snyder p173
Multimode corrugated waveguide feed for monopulse radar. P.J.B.Clarricoats and R.D.Elliot p102
Propagation in cylindrical dielectric waveguides with gyro-electric cores. N.K.Uzunoglu p164
Theoretical and experimental characteristics of double-groove guide for 100 GHz operation. D.J.Harris and K.W.Lee p6
Transmission-line matrix method with irregularly graded space. D.A.Al-Mukhtar and J.E.Sitch p299

WAVES AND WAVE SCATTERING

Comparison of simultaneous atmospheric attenuation measurements at visible light, mid-infra-red (3-5μm) and millimetre waves (94 GHz). J.H.Buÿs and L.H.Janssen p131
Efficient moment method analysis of radiating slots in a thick-walled rectangular waveguide. R.W.Lyon and A.J.Sangster p197
Estimation of ground scattering in microwave links. C.Salema, J.Figanier and C.Fernandes p252
Evaluation of focal fields and radiation characteristics of a dual-offset reflector antenna. T.S.Bird and J.L.Boomars e68
Experimental study of millimetre-wave scattering from simulated hailstones in an open resonator. L.J.Auchterlonie and D.L.Bryant p236

Field distribution and radiation field of finite axial slots on circular waveguides. L.Shafai and E.E.M.Hassan p263
Polarisation measurements on monomode fibres using optical time-domain reflectometry. A.H.Hartog, D.N.Payne and A.J.Conduit p168
Propagation in cylindrical dielectric waveguides with gyro-electric cores. N.K.Uzunoglu p164
Review of SHF and EHF slant path propagation measurements made near Slough (UK). P.G.Davies and E.C.Mackenzie p53
Scattering of plane electromagnetic waves by a grating of conducting cylinders embedded in a dielectric slab in free space. H.A.Kalhor and M.Ilyas p155
Wideband equivalent circuits for radial transmission lines. M.B.Steer and P.J.Khan p111

Book Reviews

Diffraction theory and antennas: R.H. Clarke, J. Brown p170
Fibre optics - advances in research and development: C.J.R. Sheppard p34
Methods of digital holography: L.P. Yaroslavskii, N.S. Merzlyakov p228

Conference Publications

190 Sixth European conference on optical communications p66
195 Antennas and propagation 225

Conference Reports

2nd international conference on antennas and propagation p221